

Form PTO-1390 US DEPARTMENT OF (Rev. 12-29-99) TRANSMITTAL LETTER TO THE	F COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEYS DOCKET NO. H 3540 PCT/US									
DESIGNATED/ELECTED OFFI CONCERNING A FILING UNDE	CE (DO/EO/US)	U.S. APPLICATION NO. (if known see 37 CFR 1.5)									
INTERNATIONAL APPLICATION NO. PCT/EP99/08289	October 30, 1999	PRIORITY DATE CLAIMED November 9, 1998									
TITLE OF INVENTION CLEAR-RINSING AGENTS	TITLE OF INVENTION CLEAR-RINSING AGENTS FOR MACHINE DISHWASHING										
APPLICANT(S) FOR DO/EO/US Rita Koester, Ansgar Behle	er, Karl-Heinz Schmid and N	lichael Neuss									
Applicant herewith submits to the United Sta	ates Designated/Elected Office (EO/DO/US) to	he following items and other information:									
Applicant herewith submits to the United Sta	ems concerning a filing under 35 U.S.C. 371.										
l z :	ENT submission of items concerning a filing to	· · · · · · · · · · · · · · · · · · ·									
₩ ⁴ / ₁	ional examination procedures (35 U.S.C. 371) the applicable time limit set in 35 U.S.C. 371(
4. A proper Demand for Internationa	l Preliminary Examination was made by the 19	oth month from the earliest claimed priority date.									
5. A copy of the International Application a. It is transmitted herewith (referred by the last been transmitted by the last been tra	5. A copy of the International Application as filed (35 U.S.C. 371(c)(2)).										
6. A translation of the International App	olication into English (35 U.S.C. 371(c)(2)).										
7. ■ Amendments to the claims of the Inf a. □ are transmitted herewith (b. □ have been transmitted by	c. have not been made; however, the time limit for making such amendments has NOT expired.										
8. A translation of the amendments to	the claims under PCT Article 19 (35 U.S.C. 3	71(c)(3)).									
9. ■ An oath or declaration of the invento	r(s) (35 U.S.C. 371(c)(4)). (UNEXECUTE	ED)									
10. ☐ A translation of the annexes to the In	nternational Preliminary Examination Report un	nder PCT Article 36 (35 U.S.C. 371(c)(5)).									
Items 11. to 16. below concern other doc 11. □ An Information Disclosure Statemer	• •										
12. ☐ An assignment document for record	ling. A separate cover sheet in compliance wit	th 37 CFR 3.28 and 3.31 is included.									
13. ■ A FIRST preliminary amendment □ A SECOND or SUBSEQUENT pre	liminary amendment.										
14. ☐ A substitute specification.											
15. ☐ A change of power of attorney and/o	or address letter.										
16. ☐ Other items or information:											
"Express Mail Post Office EL541613752US .	to Addressee" service Mail	ing Label Number									
<u></u>		i									

						ATTORNEY'S DOCKET NUMBER H 3540 PCT/US			
17. The following fees are subasic NATIONAL FEE (37 Conveither international preliminary international preliminary but all claims did not satisfied preliminary and all claims satisfied p	FR 1.492(a)(1)-(5)): iminary examination fee (37 CFR 1.445(a)(2) Report not prepared by examination fee (37 CFS Search Report prepared examination fee (37 CFS 1.445(a)(2)) paid examination fee paid to isfy provisions of PCT As examination fee paid to examination fee pai	CALCULAT	TIONS	PTO USE ONLY					
, print - 1		C FEE AMOUNT		=	\$	860			
Surcharge of \$130.00 for furn months from the earliest claim	ishing the oath or declar	ration later than 20	□ 30		\$	0			
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE						
Total Claims	23 - 20 =	3	3 X \$18.	00	\$	54			
Independent Claims	2 - 3 =	0	0 X \$80.0	00	\$	0			
Multiple dependent claims (s)(f applicable)	0	+ \$270.0	00	\$	0			
1 - 1	TOTAL OF ABO	VE CALCULATIO	ONS	=	\$	914			
Reduction of ½ for filing by smallso be filed. (Note 37 CFR 1.	nall entity, if applicable.	A Small Entity Stateme	ent must		\$	0			
also be med. (Note 57 CIR 1.	J, 1.27, 1.20).	SUBTOT	AL	=	\$	914			
Processing fee of \$130.00 for			20 🗆 30	+	\$	0			
months from the earliest claim		TAL NATIONAL	EFF	<u>:</u>	\$	914			
Fee for recording the enclosed	assignment (37 CFR 1	.21(h)). The assignmen	t must be		\$	0			
accompanied by an appropriat				<u>+</u>	\$	914			
	101	AL FEES ENCLO	19ED	=					
					Amount to be: refunded:		\$		
					charge	ed:	\$ 914.00		
a. A check in the amount	of \$ t	o cover the above fees i	s enclosed.						
b. Please charge my Deposit A triplicate copy of this c. The Commissioner is hoverpayment to Deposit NOTE: Where an approprimust be filed and granted SEND ALL CORRESPONDENCE.	sheet is enclosed. Ordereby authorized to chast Account No50-11 into time limit under to restore the appliance. Cognis Cogn	ler No. <u>01-0280</u> . Irge any additional fees v <u>77</u> . A triplicate copy 37 CFR 1.494 or 1.49	which may be in of this sheet is 95 has not be intus.	SIGNANANA 42.5	ed, or createsed. Set, a pet NATURE On R. Ett 16 ATT	ition to reviv	R APPLICANT		

Form PTO 1390 (REV 12-29-99) page 2 of 2

in district in the light in

ATTN: DO/EO/US

JC08 Rec'd PCT/PTO 0 9 MAY 2001

"Express Mail " Mailing Label Number <u>EL541613752US</u>.

PATENT Docket No. H 3540 PCT/US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RE:

PCT/EP99/08289

International Filing Date: October 30, 1999 Priority Date Claimed: November 9, 1998

Applicant: Koester et al.

Title: CLEAR-RINSING AGENTS FOR MACHINE DISHWASHING

Applicants' Reference: H 3540 PCT/US

PRELIMINARY AMENDMENT

Commissioner for Patents Box PCT Washington, DC 20231

Prior to the calculation of fees and examination of the above-identified national stage application pursuant to the accompanying submission under 35 U.S.C. §371, please amend the English translation of the International Application submitted herewith, without prejudice, as follows:

In the Specification:

Please amend the instant Specification, without prejudice, as follows:

Please delete all text above line 6 of page 1, and replace the deleted matter with the following new section headings and title of the invention:

--TITLE OF THE INVENTION

Machine Dishwashing Rinse Agents and Methods of Using the Same

BACKGROUND OF THE INVENTION--

At page 3, between lines 5 and 6 thereof, please insert the following new section heading and new paragraph:

--BRIEF SUMMARY OF THE INVENTION

The present invention relates, in general, to rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters, particularly those obtained by reaction of carboxylic acid esters and alkylene oxides in the presence of calcined hydrotalcites, and to methods of using the alkoxylated carboxylic acid esters for the production of such rinse agents.—

At page 3, line 25 thereof, please insert the following new section heading:
--DETAILED DESCRIPTION OF THE INVENTION--

At page 15, between lines 1 and 2, please add the following new paragraph:

--What is claimed is:--.

On a separate, new page 18, following page 17, please add the following new section heading and paragraph containing an Abstract of the Disclosure:

-- ABSTRACT OF THE DISCLOSURE

Rinse agents for machine dishwashing which contain alkoxylated carboxylic acid ester(s), and other optional additives, are described. Methods of rinsing tableware surfaces using the described rinsing agents during machine washing are also described.--

In the Claims:

Please add new claims 14-36, as follows:

--14. (New) A method of rinsing machine-washed tableware materials, said method comprising:

(a) providing a rinse agent comprising an alkoxylated carboxylic acid ester of the general formula (I):

$$R^{1-}C^{-}(OAlk)_nOR^2$$
 (I)

wherein R¹C(O) represents an aliphatic acyl group, each AlkO independently represents an alkoxylate selected from the group consisting of CH₂CH₂O, CHCH₃CH₂O and CH₂CHCH₃O, n is a number of from 1 to 20, and R² represents an aliphatic alkyl group; and

(b) contacting a tableware material surface with the rinse agent during machine washing of the tableware material surface.--

- --15. (New) The method according to claim 14, wherein R¹C(O) represents an aliphatic acyl group having from 8 to 18 carbon atoms, each AlkO represents a CH₂CH₂O, R2 represents a methyl group, and n is a number of from 5 to 15.--
- --16. (New) The method according to claim 14, wherein the alkoxylated carboxylic acid ester is prepared by reacting a carboxylic acid and an alkylene oxide in the presence of calcined hydrotalcite.--
- --17. (New) The method according to claim 14, wherein the alkoxylated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight.--
- --18. (New) The method according to claim 14, wherein the rinse agent further comprises an additional nonionic surfactant selected from the group consisting of fatty alcohol polyglycol ethers, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers, mixed ethers, and mixtures thereof.--
- --19. (New) The method according to claim 14, wherein the rinse agent further comprises an alk(en)yl oligoglycoside of the general formula (II):

 $R^3O-[G]_p \qquad \qquad (II)$

wherein R³ represents an alkyl or alkenyl group having from 4 to 22 carbon atoms, each G independently represents a sugar unit containing 5 or 6 carbon atoms and p represents a number of from 1 to 10.--

--20. (New) The method according to claim 14, wherein the rinse agent further comprises a fatty acid-N-alkyl polyhydroxy alkylamide of the general formula (III):

$$R^4$$
 $R^5CO^-N^-[Z]$ (III)

wherein R⁵CO represents an aliphatic acyl group having from 6 to 22 carbon atoms, R⁴ represents an alkyl or hydroxyalkyl group having from 1 to 4 carbon atoms, and [Z] represents a linear or branched polyhydroxyalkyl group having from 3 to 12 carbon atoms and from 3 to 10 hydroxyl groups.--

--21. (New) The method according to claim 14, wherein the rinse agent further comprises a fatty alcohol poly(alkylene)glycol ether of the general formula (V):

$$R^6O(CH_2CH_2O)_p[MO]_mH$$
 (V

wherein R⁶ represents an alk(en)yl group having from 8 to 22 carbon atoms, each MO independently represents an alkoxide selected from the group consisting of propylene oxide and butylene oxide, p is a number of from 1 to 15 and m is a number of from 0 to 10.--

--22. (New) The method according to claim 14, wherein the rinse agent further comprises a fatty alcohol polyalkylene glycol ether of the general formula (VI):

$$R^{7}O[CH_{2}(CH_{3})CHO]_{r}(CH_{2}CH_{2}O)_{q}H$$
 (VI)

wherein R⁷ represents an alk(en)yl group having from 8 to 22 carbon atoms, r is a number of from 1 to 10 and q is a number of from 0 to 15.--

--23. (New) The method according to claim 14, wherein the rinse agent further comprises a hydroxy mixed ether of the general formula (VII):

R⁸O[CH₂CH(CH₃)O]_x(CH₂CHR⁹O)_y[CH₂CH(OH)R¹⁰]_z (VII) wherein R⁸ represents an alk(en)yl group having from 4 to 18 carbon atoms, each R⁹ independently represents a hydrogen or a methyl or ethyl group, each R¹⁰ independently represents an alkyl group having from 2 to 22 carbon atoms, x is a number of from 0 to 10, y is a number of from 1 to 30 and z is the number 1.--

- --24. (New) The method according to claim 18, wherein the alkoxylated carboxylic acid ester and the additional nonionic surfactant are present in the rinse agent in a ratio by weight of from 10:90 to 80:20.--
- --25. (New) The method according to claim 14, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --26. (New) The method according to claim 25, wherein the acid is present in an amount of from 1 to 50% by weight.--
- --27. (New) The method according to claim 17, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --28. (New) The method according to claim 27, wherein the acid is present in an amount of from 1 to 50% by weight.--
- --29. (New) The method according to claim 19, wherein the rinse agent further comprises an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --30. (New) The method according to claim 29, wherein the acid is present in an amount of from 1 to 50% by weight.--
 - --31. (New) A rinsing agent comprising:
 - (a) an alkoxylated carboxylic acid ester of the general formula (I):

$$\begin{array}{c}
O \\
R^{1-}C^{-}(OAlk)_{n}OR^{2}
\end{array} (I)$$

wherein R¹C(O) represents an aliphatic acyl group, each AlkO independently represents an alkoxylate selected from the group consisting of CH₂CH₂O, CHCH₃CH₂O and CH₂CHCH₃O, n is a number of from 1 to 20, and R² represents an aliphatic alkyl group; and

- (b) an acid selected from the group consisting of monocarboxylic acids, polycarboxylic acids, and mixtures thereof.--
- --32. (New) The rinsing agent according to claim 31, further comprising an additional nonionic surfactant selected from the group consisting of fatty alcohol polyglycol ethers, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers, mixed ethers, and mixtures thereof.--
- --33. (New) The rinsing agent according to claim 31, further comprising a solubilizer.--
- --34. (New) The rinsing agent according to claim 31, wherein the alkoxylated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight.--
- --35. (New) The rinsing agent according to claim 31, wherein the acid is present in an amount of from 1 to 50% by weight.--
- --36. (New) The rinsing agent according to claim 32, further comprising a solubilizer, wherein the alkoxylated carboxylic acid ester is present in the rinse agent in an amount of from 0.5 to 40% by weight, and wherein the acid is present in an amount of from 1 to 50% by weight.--

Please cancel claims 1-13, without prejudice.

REMARKS

Claims 14-36 are currently pending in the instant application.

The Specification has been amended to delete the original section headings and to insert the preferred section headings pursuant to 37 C.F.R. §1.77. A new Title of the Invention has been inserted. An Abstract of the Disclosure, in accordance with the disclosure, has been added. It is submitted that the amendments to the Specification made herein introduce no new matter. All of the amendments to the Specification constitute deletions of original section headings and/or paragraphs, and insertions or additions of new section headings and/or paragraphs. Accordingly, pursuant to 37 C.F.R. §1.121(b)(1)(iii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary. A separate page containing a clean copy of the Abstract of the Disclosure has been added for the Examiner's convenience. Entry of the amendments to the Specification made herein are therefore proper and respectfully requested.

Original claims 1-13 have been canceled and replaced with new claims 14-36 solely for the purpose of improving clarity and grammar, which may suffer in translation, and not for any reason which relates to the statutory requirements for a patent. New claims 14-36 have not been added in response to any rejection, nor in anticipation of any rejection.

Applicants respectfully submit that the scope of new claims 14-36 generally corresponds to the scope of original claims 1-13, and that new claims 14-36 are no narrower than original claims 1-13. Furthermore, although a moot point in view of their cancellation, Applicants respectfully submit that original claims 1-13 satisfied the requirements of 35 U.S.C. §112, as filed. New claims 14-36 are supported by the claims as originally filed and in the Specification, for example, at page 3, lines 1-24; at page 4, line 28, through page 5, line 2; and in the Examples. No new matter has been introduced. All of the amendments to the Claims constitute cancellation of original claims and the addition of new claims. Accordingly, pursuant to 37 C.F.R. §1.121(c)(1)(ii), no separate page captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE" is necessary. Entry is therefore proper and respectfully requested.

Prompt examination of the instant application in view of the amendments made herein is respectfully requested.

Respectfully submitted,

RITA KOESTER, et al.

AARON R. ETTELMAN

(Reg. No. 42,516) Attorney for Applicants Telephone: (610) 278-4930

Facsimile: (610) 278-6548

E-Mail: AARON.ETTÉLMAN@HENKEL-AMERICAS.COM

Cognis Corporation, Patent Dept. 2500 Renaissance Blvd., Suite 200 Gulph Mills, PA 19406

ARE/ras

G:\Data\amend\H3540pam.doc

ABSTRACT OF THE DISCLOSURE

Rinse agents for machine dishwashing which contain alkoxylated carboxylic acid ester(s), and other optional additives, are described. Methods of rinsing tableware surfaces using the described rinsing agents during machine washing are also described.

JC08 Rec'd PCT/PTO 0 9 MAY 2001 PCT/EP99/08289

Clear-rinsing Agents for Machine Dishwashing

This invention relates to rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters, more particularly those obtained by reaction of carboxylic acid esters and alkylene oxides in the presence of calcined hydrotalcites, and to the use of the alkoxylated carboxylic acid esters as a surfactant for the production of the rinse agents.

Today, tableware washed by machine often has to meet more stringent requirements than tableware washed by hand. Thus, even dishes completely freed from food remains are evaluated as unsatisfactory when, after machine dishwashing, they still show whitish stains which are attributable to water hardness or other mineral salts and which emanate from dried-on water droplets through lack of wetting agents.

Accordingly, in order to obtain sparkling tableware without any stains, rinse agents are now being successfully used. The addition of rinse agents at the end of the wash program ensures that the water drains completely from the tableware so that, at the end of the wash program, the various surfaces are free from residues and sparkling.

Commercially available rinse agents are mixtures of nonionic surfactants, solubilizers (for example cumenesulfonate), organic acids (for example citric acid) and solvents (for example ethanol), water and optionally preservatives and perfumes. The function of the surfactants in these rinse agents is to influence the interfacial tension of the water in such a way that it drains from the tableware in a thin coherent film so that no water droplets, streaks or films remain behind after the subsequent drying phase (so-called wetting effect). Another function of the surfactants is to suppress the foam caused by food residues in the dishwashing machine. Since the rinse agents generally contain acids to improve the clear drying

5

10

15

20

25

15

20

25

30

WO 00/27987 2 PCT/EP99/08289

effect, the surfactants used also have to be relatively stable to hydrolysis by acids.

In addition, only biodegradable, toxicologically and dermatologically safe ingredients are now considered for use in rinse agent formulations. Accordingly, the surfactants used in the rinse agents also have to exhibit these properties.

EP-B1 0 197 434 (Henkel) describes rinse agents which contain mixed ethers as nonionic surfactants. Many different materials (glass, metal, silver, plastic, china) are cleaned in dishwashing machines. This range of materials has to be thoroughly wetted in the final rinse cycle. Rinse agent formulations containing mixed ethers as sole surfactant component meet these requirements to only a limited extent, if at all, so that the clear rinse or drying effect is unsatisfactory, particularly on plastic surfaces.

DE-A1 19 611 999 and **WO 94/13618** describe alkoxylated carboxylic acid esters which are obtained by homogeneous catalysis in the presence of hydroxides and reducing agents or a co-catalyst. According to both these documents, such compounds may be used in laundry detergents, dishwashing detergents and cleaners.

DE-A-43 26 112 describes low-foaming multipurpose cleaners which contain alkoxylated carboxylic acid esters in admixture with alkyl glycosides and optionally other surfactants, such as alkyl sulfates, alkyl ether sulfates and fatty alcohol polyglycol ethers. These multipurpose cleaners are intended for cleaning hard surfaces, such as clinker bricks, ceramic tiles, enamels, PVC or wooden floors. In contrast to rinse agents, however, multipurpose cleaners always contain anionic surfactants. In addition, multipurpose cleaners, unlike rinse agents, are intended to generate a rich initial foam. Finally, other surfactant concentrations are used in multipurpose cleaners. Accordingly, multipurpose cleaners and rinse agents have to meet different requirements.

15

20

25

30

The problem addressed by the present invention was to provide new ecologically and toxicologically safe rinse agents which would be at least equivalent to commercially available rinse agents in their performance properties and which would not have any of the disadvantages mentioned above.

Accordingly, in a first embodiment, the present invention relates to rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters corresponding to formula (I):

in which R¹CO is an aliphatic acyl group, AlkO stands for CH₂CH₂O, CHCH₃CH₂O and/or CH₂CHCH₃O, n is a number of 1 to 20 and R² is an aliphatic alkyl group.

It has surprisingly been found that rinse agents containing alkoxylated carboxylic acid esters and more particularly in admixture with mixed ethers, hydroxy mixed ethers and/or fatty alcohol polypropylene/polyethylene glycol ethers not only show high ecotoxicological compatibility, they also fully satisfy the requirements a commercial product is expected to meet in terms of performance properties. In particular, corresponding rinse agents have an outstanding wetting agent effect and an excellent foam-suppressing effect.

Alkoxylated carboxylic acid esters

Alkoxylated carboxylic acid esters, which are a compulsory constituent of the rinse agents according to the invention, are known from the prior art. They may be obtained, for example, by esterification of alkoxylated carboxylic acids with alcohols. For the purposes of the present invention, however, the compounds are produced by reaction of carboxylic

acid esters with alkylene oxides using catalysts, more especially calcined hydrotalcite in accordance with **DE-A-39 14 131**, which give compounds with a narrow homolog distribution. According to the invention, alkoxylated carboxylic acid esters corresponding to general formula (I), in which R¹CO is an aliphatic acyl group containing 6 to 22 carbon atoms, AlkO stands for a CH₂CH₂O-, CHCH₃CH₂O- and/or CH₂-CHCH₃O group, n has an average value of 3 to 20 and R² is an aliphatic alkyl group containing 1 to 22 carbon atoms, are preferred.

5

10

15

20

25

30

3

Preferred acyl groups are derived from carboxylic acids containing 6 to 22 carbon atoms of natural or synthetic origin, more especially from linear, saturated and/or unsaturated fatty acids, including the technical mixtures thereof obtainable by lipolysis from animal and/or vegetable fats and oils, for example from coconut oil, palm kernel oil, palm oil, soya oil, sunflower oil, rapeseed oil, cottonseed oil, fish oil, bovine tallow and lard. Examples of such carboxylic acids are caproic acid, caprylic acid, 2-ethyl hexanoic acid, capric acid, lauric acid, isotridecanoic acid, myristic acid, palmitic acid, palmitoleic acid, stearic acid, isostearic acid, oleic acid, elaidic acid, petroselic acid, linoleic acid, linolenic acid, elaeostearic acid, arachic acid, gadoleic acid, behenic acid and/or erucic acid. More particularly, R¹CO is a linear, even-numbered acyl group containing 8 to 18 carbon atoms.

Preferred alkyl groups R² are derived from primary, aliphatic monohydric alcohols containing 1 to 22 carbon atoms which may be saturated and/or unsaturated. Examples of suitable monoalcohols are methanol, ethanol, propanol, butanol, pentanol and the hydrogenation products of the above-mentioned carboxylic acids containing 6 to 22 carbon atoms. More particularly, R² is a methyl group.

AlkO preferably stands for a CH₂CH₂O group.

Alkoxylated carboxylic acid esters of formula (I), in which R¹CO is a linear, even-numbered acyl group containing 8 to 18 carbon atoms, AlkO

10

15

20

25

WO 00/27987 5 PCT/EP99/08289

stands for a CH₂CH₂O group, n has an average value of 5 to 15 and R² is a methyl group, are particularly suitable. Examples of such compounds are carboxylic acid methyl esters alkoxylated with, on average, 5, 7, 9 or 11 moles of ethylene oxide.

If particularly low-viscosity rinse agents are required, it is advisable to use alkoxylated carboxylic acid esters derived from short-chain carboxylic acids, more particularly those containing 8 to 10 carbon atoms. High cleaning performances are obtained with alkoxylated carboxylic acid esters derived from relatively long-chain carboxylic acids, more particularly those containing 12 to 18 carbon atoms.

The alkoxylated carboxylic acid esters may be present as sole nonionic surfactant in the rinse agents, preferably in quantities of 0.5 to 40% by weight and more particularly in quantities of 5 to 35% by weight. However, the alkoxylated carboxylic acid esters are preferably present in the rinse agents in admixture with other nonionic surfactants. examples of suitable other nonionic surfactants are mixed ethers, hydroxy mixed ethers, fatty alcohol polyglycol ethers, alkyl phenol polyglycol ethers, fatty acid amide polyglycol ethers, fatty amine polyglycol ethers, alkoxylated triglycerides, alk(en)yl oligoglycosides, fatty acid-N-alkyl glucamides, protein hydrolyzates (more particularly wheat-based vegetable products), polyol fatty acid esters, sugar esters, sorbitan esters and polysorbates. Where the nonionic surfactants contain polyglycol ether chains, they may have a conventional homolog distribution although they preferably have a narrow homolog distribution. Preferred other nonionic surfactants are fatty alcohol polyglycol ethers, alkyl oligoglucosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers and/or mixed ethers.

In a preferred embodiment of the invention, the nonionic surfactants used are alkyl and alkenyl oligoglycosides corresponding to formula (II):

30 $R^3O-[G]_p$ (II)

10

15

20

25

30

WO 00/27987 6 PCT/EP99/08289

in which R³ is an alkyl and/or alkenyl group containing 4 to 22 carbon atoms, G is a sugar unit containing 5 or 6 carbon atoms and p is a number of 1 to 10. They may be obtained by the relevant methods of preparative organic chemistry.

The alkyl and/or alkenyl oligoglycosides may be derived from aldoses or ketoses containing 5 or 6 carbon atoms, preferably glucose. Accordingly, the preferred alkyl and/or alkenyl oligoglycosides are alkyl and/or alkenyl oligoglucosides. The index p in general formula (II) indicates the degree of oligomerization (DP), i.e. the distribution of monoand oligoglycosides, and is a number of 1 to 10. Whereas p in a given compound must always be an integer and, above all, may assume a value of 1 to 6, the value p for a certain alkyl oligoglycoside is an analytically determined calculated quantity which is generally a broken number. Alkyl and/or alkenyl oligoglycosides having an average degree of oligomerization p of 1.1 to 3.0 are preferably used. Alkyl and/or alkenyl oligoglycosides having a degree of oligomerization of less than 1.7 and, more particularly, between 1.2 and 1.4 are preferred from the applicational point of view. The alkyl or alkenyl group R³ may be derived from primary alcohols containing 4 to 11 and preferably 8 to 10 carbon atoms. Typical examples are butanol, caproic alcohol, caprylic alcohol, capric alcohol and undecyl alcohol and the technical mixtures thereof obtained, for example, in the hydrogenation of technical fatty acid methyl esters or in the hydrogenation of aldehydes from Roelen's oxosynthesis. Alkyl oligoglucosides having a chain length of C_8 to C_{10} (DP = 1 to 3), which are obtained as first runnings in the separation of technical C₈₋₁₈ coconut fatty alcohol by distillation and which may contain less than 6% by weight of C₁₂ alcohol as an impurity, and also alkyl oligoglucosides based on technical $C_{9/11}$ oxoalcohols (DP = 1 to 3) are preferred. In addition, the alkyl or alkenyl group R3 may also be derived from primary alcohols containing 12 to 22 and preferably 12 to 14 carbon

15

20

25

30

WO 00/27987 7 PCT/EP99/08289

atoms. Typical examples are lauryl alcohol, myristyl alcohol, cetyl alcohol, palmitoleyl alcohol, stearyl alcohol, isostearyl alcohol, oleyl alcohol, elaidyl alcohol, petroselinyl alcohol, arachyl alcohol, gadoleyl alcohol, behenyl alcohol, erucyl alcohol, brassidyl alcohol and technical mixtures thereof which may be obtained as described above. Alkyl oligoglucosides based on hydrogenated C_{12/14} coconut fatty alcohol with a DP of 1 to 3 are preferred.

Another group of preferred other nonionic surfactants are fatty acid-N-alkyl polyhydroxyalkylamides which correspond to formula (III):

R⁴ | | R⁵CO-N-[Z] (III)

where R⁵CO is an aliphatic acyl group containing 6 to 22 carbon atoms, R⁴ is an alkyl or hydroxyalkyl group containing 1 to 4 carbon atoms and [Z] is a linear or branched polyhydroxyalkyl group containing 3 to 12 carbon atoms and 3 to 10 hydroxyl groups. The fatty acid-N-alkyl polyhydroxyalkylamides are known compounds which may normally be obtained by reductive amination of a reducing sugar with an alkylamine or an alkanolamine and subsequent acylation with a fatty acid, a fatty acid alkyl ester or a fatty acid chloride. Processes for their production are described in US 1,985,424, in US 2,016,962 and in US 2,703,798 and in International patent application WO 92/06984. An overview of this subject by H. Kelkenberg can be found in Tens. Surf. Det. 25, 8 (1988).

The fatty acid-N-alkyl polyhydroxyalkylamides are preferably derived from reducing sugars containing 5 or 6 carbon atoms, more particularly from glucose. Accordingly, the preferred fatty acid-N-alkyl polyhydroxyalkylamides are fatty acid-N-alkyl glucamides which correspond to formula (IV):

Preferred fatty acid-N-alkyl polyhydroxyalkylamides are glucamides corresponding to formula (IV) in which R⁴ is an alkyl group and R⁵CO represents the acyl component of caproic acid, caprylic acid, capric acid, lauric acid, myristic acid, palmitic acid, palmitoleic acid, stearic acid, isostearic acid, oleic acid, elaidic acid, petroselic acid, linoleic acid, linolenic acid, arachic acid, gadoleic acid, behenic acid or erucic acid or technical mixtures thereof. Fatty acid-N-alkyl glucamides (IV) obtained by reductive amination of glucose with methylamine and subsequent acylation with lauric acid or C_{12/14} cocofatty acid or a corresponding derivative are particularly preferred. In addition, the polyhydroxyalkylamides may also be derived from maltose and palatinose.

Fatty alcohol polyglycol ethers are particularly preferred as the other nonionic surfactants. The fatty alcohol polyglycol ethers are products of the addition of alkylene oxides containing 2 to 4 carbon atoms (ethylene oxide, propylene oxide and/or butylene oxide) onto fatty alcohols containing 6 to 22 carbon atoms. In one embodiment, the fatty alcohol polyglycol ethers are products of the addition of first ethylene oxide and then optionally propylene oxide and/or butylene oxide onto fatty alcohols of the described type. Within this embodiment, particularly suitable fatty alcohol polyethylene glycol/polypropylene or polybutylene glycol ethers are those corresponding to formula (V):

$$R^6O(CH_2CH_2O)_p[MO]_mH$$
 (V)

in which R⁶ is an alkyl and/or alkylene group containing 8 to 22 carbon

10

15

20

25

30

WO 00/27987 9 PCT/EP99/08289

atoms, MO is a propylene oxide and/or a butylene oxide unit, p is a number of 1 to 15 and m is 0 or a number of 1 to 10.

Fatty alcohol polyethylene glycol/polypropylene or polybutylene glycol ethers corresponding to formula (V) may be produced, for example, in accordance with European patent application EP-A2-161 537 or DE-A1 39 28 602 and DE-A1 39 28 600.

Particularly suitable representatives are those of formula (V) in which R⁶ is an aliphatic, saturated, linear or branched alkyl group containing 8 to 16 carbon atoms, o is a number of 1 to 5 and m = 0. These ethers are products of the addition of 1 to 5 moles ethylene oxide onto monohydric alcohols. Suitable monohydric alcohols are the so-called fatty alcohols, such as caproic, caprylic, lauryl, myristyl and stearyl alcohol and the technical mixtures thereof obtained in the high-pressure hydrogenation of technical methyl esters based on fats and oils. Examples of monohydric branched alcohols are the so-called oxo alcohols which generally carry 2 to 4 methyl groups as branches and are produced by the oxo process and so-called Guerbet alcohols which are branched in the 2-position by an alkyl group. Suitable Guerbet alcohols are 2-ethyl hexanol, 2-butyl octanol, 2-hexyl decanol and/or 2-octyl dodecanol.

Other suitable compounds of formula (**V**) are those in which R⁶ is an aliphatic, saturated, linear or branched alkyl group containing 8 to 16 carbon atoms, o is a number of 2 to 7 and m is a number of 3 to 7. These compounds are addition products of monohydric alcohols of the described type alkoxylated first with 2 to 7 moles ethylene oxide and then with 3 to 7 moles propylene and/or butylene oxide.

In another preferred embodiment, the rinse agents contain fatty alcohol polyglycol ethers which are products of the addition of first propylene oxide and then optionally ethylene oxide. Accordingly, the ethers in question are fatty alcohol polypropylene glycol/polyethylene glycol ethers which preferably correspond to formula (VI):

10

15

20

25

30

R⁷O[CH₂(CH₃)CHO]_r(CH₂CH₂O)_qH

(VI)

in which R⁷ is an alkyl and/or alkenyl group containing 8 to 22 carbon atoms, r is a number of 1 to 10 and q is a number of 0 to 15.

Compounds such as these are described, for example, in **DE-A1 43 23 252.** Particularly preferred representatives of the compounds corresponding to formula (**VI**) are those in which R⁷ is an aliphatic, saturated, linear or branched alkyl chain containing 8 to 16 carbon atoms, r is a number of 1 to 5 and q is a number of 1 to 6. These compounds are preferably products of the addition of 1 to 5 moles propylene oxide and 1 to 6 moles ethylene oxide onto monohydric alcohols of the type already described.

Particularly preferred other nonionic surfactants also include the so-called mixed ethers. The mixed ethers are products of the addition of ethylene oxide and/or propylene oxide onto fatty alcohols which are end-capped by subsequent reaction with an alkyl chloride in the presence of bases. Particularly suitable mixed ethers are those which have been produced by end-capping with an alkyl halide containing 1 to 8 carbon atoms and more particularly with 1 to 4 carbon atoms of the fatty alcohol polyglycol ethers corresponding to formula (V) and/or (VI). Typical examples are mixed ethers based on a technical C_{12/18} or C_{12/14} cocoalcohol onto which 5 to 10 moles of ethylene oxide have been added and which have been end-capped with a methyl group or with a butyl group, for example Dehypon® LS-54, LS-104, LT-54, LS-104, LS-531, Henkel KGaA, Düsseldorf/FRG).

Other particularly preferred nonionic surfactants are so-called hydroxy mixed ethers which have been produced by reaction of 1,2-epoxyalkanes with mono-, di- and/or polyhydric alkoxylated alcohols. Preferred hydroxy mixed ethers correspond to formula (VII):

R⁸O[CH₂CH(CH₃)O]_x(CH₂CHR⁹O)_y[CH₂CH(OH)R¹⁰]_z

(VII)

in which R^8 is an alkyl and/or alkylene group containing 4 to 18 carbon atoms, R^9 is hydrogen or a methyl or ethyl group, R^{10} is an alkyl group containing 2 to 22 carbon atoms, x is 0 or a number of 1 to 10, y is a number of 1 to 30 and z is the number 1.

Hydroxy mixed ethers corresponding to formula (VII) are known from the literature and are described, for example, in WO 96/12001. They are produced by reaction of 1,2-epoxyalkanes ($R^{10}CHOCH_2$) with monohydric alkoxylated alcohols. According to the invention, hydroxy mixed ethers derived from alkoxylates of monohydric alcohols (z=1) with the formula R^8 -OH are preferred. Suitable examples of alcohols have already been given in connection with the fatty alcohol polyglycol ethers.

15

20

25

30

10

The alcohols are used in the form of their alkoxylates which are produced in known manner by reaction of the alcohols with ethylene oxide, propylene oxide and/or butylene oxide. Alkoxylates of alcohols which have been alkoxylated with 10 to 25 moles of ethylene oxide (R^9 = hydrogen, x = 0, y = 10 to 25) or with 1 to 3 moles of propylene oxide and then with 10 to 25 moles of ethylene oxide (R^9 = hydrogen, x = 1 to 3, y = 10 to 25) are preferably used.

Most particularly suitable hydroxy mixed ethers corresponding to formula (VII) are those in which R⁸ is a saturated linear alkyl chain containing 8 to 14 carbon atoms, R⁹ is hydrogen, R¹⁰ is a saturated linear alkyl chain containing 8 to 12 carbon atoms, x is 0 or a number of 1 to 3, y is a number of 10 to 25 and z is the number 1. Hydroxy mixed ethers such as these are described in detail in **DE-A1 37 23 323**.

The rinse agents according to the invention may contain the alkoxylated carboxylic acid esters and the other nonionic surfactants, more particularly the mixed ethers, hydroxy mixed ethers and the fatty alcohol

polyglycol ethers in a ratio by weight of 10:90 to 80:20 and more particularly 30:70 to 40:60. The ratio by weight of the other nonionic surfactants to one another is less critical.

5

10

15

20

25

30

Besides the surfactants already described, the rinse agent formulations according to the invention contain mono- and/or polybasic carboxylic acids, preferably hydroxycarboxylic acids, as their most important additives. Typical examples are malic acid (monohydroxysuccinic acid), tartaric acid (dihydroxysuccinic acid), saturated aliphatic dicarboxylic acids, such as oxalic acid, malonic acid, succinic acid, glutaric acid, adipic acid, gluconic acid (hexanepentahydroxy-1-carboxylic acid), but preferably water-free citric acid. They may be used in the rinse agents in quantities of about 1 to 50% by weight and preferably in quantities of about 5 to 30% by weight. Suitable other additives are, above all, dyes and perfumes and preservatives, preferably in quantities of 0 to 1% by weight. If desired, the rinse agents may additionally contain solubilizers or hydrotropes. A suitable solubilizer is cumene sulfonate in quantities of 0 to 25% by weight and more particularly in quantities of 0.2 to 15% by weight. expressed as active substance. Recommended hydrotropes are ethanol and/or isopropanol in quantities of 0 to 25% by weight. The balance to 100% by weight is water.

Commercial Applications

The rinse agents according to the invention contain ecotoxicologically particularly safe ingredients, show excellent wetting behavior on various materials and excellent foam-suppressing behavior.

The present invention also relates to the use of alkoxylated carboxylic acid esters as a surfactant for the production of rinse agents for machine dishwashing.

The alkoxylated carboxylic acid esters used show excellent solubility in water without passing through a gel phase. The rinse agents may be

used both in the domestic sector and in the institutional sector.

Examples

5

10

Rinse agents with the compositions shown in Table 1 (% by weight, based on active substance) were prepared and tested for their clear rinse effect. The clear rinse effect was visually evaluated on the basis of the lime stains observed on glasses, cutlery and plates after they had been cleaned in a commercially available domestic dishwasher at 65°C. The domestic dishwasher was filled with the rinse agents according to the invention and with a comparison formulation (= standard).

If at least 4 out of 5 people visually evaluated a relatively small number of lime stains, the clear rinse effect was judged to be "better than standard". The results are set out in Table 1.

15 Table 1. Rinse agent formulations

Ingredients	Standard	Ex. 1	Ex. 2	Ex. 3	Ex. 4
C _{8/18} CO(EO) ₁₀ CH ₃ ^a	_	15	2.0	5.0	5.0
Hydroxy mixed etherb	_	_	5.0	10.0	_
C _{12/14} FA+5EO+4PO°	15.0	-	8.0	-	10.0
Cumenesulfonate	8.0	5.0	3.0	2.0	5.0
Citric acid	5.0	5.0	5.0	5.0	5.0
		to 10	00% by weight	water	
Clear rinse effect	+	Better than	Better than	Better than	Better than
		standard	standard	standard	standard

- C_{8/18}CO(EO)₁₀CH₃ = C_{8/18} fatty acid methyl ester ethoxylated with 10 moles ethylene oxide (EO)
- Hydroxy mixed ether = $C_{8/10}$ alcohol cut + 1PO + 22 EO epoxidized with α -decene epoxide

^c C_{12/14} FA+5EO+4PO = C_{12/14} alcohol cut ethoxylated with 5 moles EO and 4 moles propylene oxide (PO)

CLAIMS

1. Rinse agents for machine dishwashing containing alkoxylated carboxylic acid esters corresponding to formula (I):

5 R¹C(OAlk)_nOR² (I)

in which R¹CO is an aliphatic acyl group, AlkO stands for CH₂CH₂O, CHCH₃CH₂O and/or CH₂CHCH₃O, n is a number of 1 to 20 and R² is an aliphatic alkyl group.

- 2. Rinse agents as claimed in claim 1, characterized in that they contain alkoxylated carboxylic acid esters corresponding to formula (I) in which R¹CO is an aliphatic acyl group containing 8 to 18 carbon atoms, AlkO stands for a CH₂CH₂O group, n has an average value of 5 to 15 and R² is a methy group.
- 3. Rinse agents as claimed in claim 1 or 2, characterized in that they contain alkoxylated carboxylic acid esters corresponding to formula (I) which have been produced by reaction of carboxylic acids with alkylene oxides in the presence of calcined hydrotalcite.
- 4. Rinse aids as claimed in any of claims 1 to3, characterized in that the alkoxylated carboxylic acid esters are present in quantities of 0.5 to 40% by weight.
- 5. Rinse agents as claimed in any of claims 1 to 4, characterized in that the alkoxylated carboxylic acid esters are present in admixture with other nonionic surfactants selected in particular from the group of fatty alcohol polyglycol ethers, alkyl oligoglucosides, fatty acid-N-alkyl glucamides, hydroxy mixed ethers and/or mixed ethers.
- 6. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with alkyl polyglycosides corresponding to formula (II):

$$R^3O-[G]_p$$
 (II)

in which R³ is an alkyl and/or alkenyl group containing 4 to 22 carbon atoms, G is a sugar unit containing 5 or 6 carbon atoms and p is a number of 1 to 10.

7. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with fatty acid-N-alkyl polyhydroxyalkylamides corresponding to formula (III):

10

- where R⁵CO is an aliphatic acyl group containing 6 to 22 carbon atoms, R⁴ is an alkyl or hydroxyalkyl group containing 1 to 4 carbon atoms and [Z] is a linear or branched polyhydroxyalkyl group containing 3 to 12 carbon atoms and 3 to 10 hydroxyl groups.
- 8. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with fatty alcohol polyethylene glycol/polypropylene or polybutylene glycol ethers corresponding to formula (V):

$$R^6O(CH_2CH_2O)_p[MO]_mH$$
 (V)

25

30

in which R⁶ is an alkyl and/or alkylene group containing 8 to 22 carbon atoms, MO is a propylene oxide and/or a butylene oxide unit, p is a number of 1 to 15 and m is 0 or a number of 1 to 10.

9. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with fatty alcohol polypropylene glycol/polyethylene glycol ethers corresponding to formula

(VI):

R⁷O[CH₂(CH₃)CHO]_r(CH₂CH₂O)_qH

(VI)

- in which R⁷ is an alkyl and/or alkenyl group containing 8 to 22 carbon atoms, r is a number of 1 to 10 and q is a number of 0 to 15.
 - 10. Rinse agents as claimed in claim 5, characterized in that alkoxylated carboxylic acid esters are present in admixture with hydroxy mixed ethers corresponding to formula (VII):

10

15

25

$R^{8}O[CH₂CH(CH₃)O]_x(CH₂CHR⁹O)_y[CH₂CH(OH)R¹⁰]_z (VII)$

in which R^8 is an alkyl and/or alkylene group containing 4 to 18 carbon atoms, R^9 is hydrogen or a methyl or ethyl group, R^{10} is an alkyl group containing 2 to 22 carbon atoms, x is 0 or a number of 1 to 10, y is a number of 1 to 30 and z is the number 1.

- 11. Rinse agents as claimed in any of claims 5 to 10, characterized in that the alkoxylated carboxylic acid esters and the other nonionic surfactants are present in a ratio by weight of 10:90 to 80:20.
- 12. Rinse agents as claimed in any of claims 1 to 11, characterized in that they contain mono- and/or polybasic carboxylic acids, preferably citric acid, in quantities of 1 to 50% by weight.
 - 13. The use of alkoxylated carboxylic acid esters corresponding to formula (I) as a surfactant for the production of rinse agents for machine dishwashing.

Express Mail" mailing label number <u>EL541613752US</u>

express Mair maining lan	er fluitiber <u>EL3416137</u>		roved for use thre	PTO/SB/01 (6-9 ough: 10/31/98 OMB 0651-003						
Type a plus sign (+) inside this b	ox →	Patent and Tradema	k Office; U.S. Di	EPARTMENT OF COMMERC						
0010/PTO Rev. 6/95	U.S. Department of Commerce Patent and Trademark Office									
DECLARA	TION FOR	First Named Inventor	amed KOESTER, Rita							
UTILITY O	R DESIGN		COMPLETE IF KNOWN							
PATENT API	PLICATION	Application Number	Application Number 09/831,432							
		Filing Date	07/30/20	001						
	R X Declaration Submitted after	Group Art Unit								
Submitted with Initial Filing	Initial Filing	Examiner Name								
CLEAR-RINSING AGENTS FOR MACHINE DISHWASHING (Title of the Invention) the specification of which is attached hereto OR X was filed on (MM/DD/YYYY) 10/30/1999 as United States Application Number or PCT International										
I hereby state that I have reviewed an amendment specifically referred to about	d understand the contents of the abov ove.	was amended on (MM/DD/YYYY) we identified specification, including the obligation of the control of the contro								
I hereby claim foreign priority benefits un certificate, or §365(a) of any PCT Internand have also identified below, by check having a filing date before that of the ap	national application which designated king the box, any foreign application fo	at least one country other than the Unite	d States of America,	listed below						
Prior Foreign Application Number(s)	Country	Foreign Filing Date (MM/DD/YYYY	Priority Not Claimed	Certified Copy Attached? YES NO						
198 51 453.0 DE 11/09/1998										
		upplemental priority sheet attach		12 / - \ 12 - 4 1 - 1						
		§119(e) of any United States p								
Application Number(s)	Filing Date (MM/DD/YY	YY)	Additional provi application num are listed on a							

Burden Hour Statement: This form is estimated to take .4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

"Express Mail Post Office to Addressee" service Mailing Label Number

supplemental priority

sheet attached hereto.

EL541612598US



DECLARATION

Page	1

I hereby claim the benefit under Title 35, United States Code §120 of any United States application(s), or §365(c) of any PCT international application
i hereby claim the benefit under this 35, United States Code \$120 of any United States application(s), or \$365(c) of any PCT international application
designating the United States of America, listed below and incofer as the auticat ways of the first and the second states of the second states and the second states are the second states and the second states are the second states and the second states are the sec
designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the
prior United States or PCT international application in the manner provided by the first paragraph of Title 35, United States Code §112.1 acknowledge the
phore times of the international application in the manner provided by the first paragraph of Title 35. United States Code \$112.1 acknowledge the
duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between
and to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations §1.56 which became available between
the filing date of the prior application and the national as DCT international Street Live and the prior application and the national as DCT international Street Live at the street Liv
the filing date of the prior application and the national or PCT international filing date of this application.

designating the Unite prior United States or duty to disclose infor the filing date of the p	d States of Americ PCT international nation which is ma	a, listed below a application in tl iterial to patenta	ne manner provided ability as defined in 1	subject matter of I by the first paraç Title 37. Code of	each of the claims graph of Title 35, U Federal Regulation	of this a	pplication is n	ot disclosed	d in the
U.S. Parent Application PCT F			Parent mber	Parent F (MM/DI		Parent Patent Number (if applicable)			
		PCT/EP99/	08289	8289 10/30/1999					
Additional U.S.	or PCT internation	nal application r	numbers are listed o	on a supplementa	al priority sheet atta	ached he	ereto.		
As a named inventor, Trademark Office con	I hereby appoint the nected therewith:	e following atto	rney(s) and/or agen	t(s) to prosecute	this application an	d to tran	sact all busine	ess in the Pa	atent and
Firm Name OR					Customer or la	abei			
		s) name and re	gistration number	below:					
	Name		Registration Number			Name		Registra Num	
John E. Drach Steven J. Trzaska			32,891 36,296	Aaron R. Henry E. I	42,516 18,980				
Additional atto	orney(s) and/or a	gent(s) named	on a supplement	al sheet attache	ed hereto.			<u>- L</u>	
Please direct all correspondence to:		X Custome Number	or label	236	57	OR		correspon ess below	dence
Name A	aron R. Ettelma	an							
Address		<u> </u>	*****	······································					<u></u>
City				State				ZIP	
Country			Telephone	610-278-49		Fa		310-278-6	5548
I hereby declare that belief are believed to like so made are pur willful false statemer	be true; and furn hishable by fine o hts may jeopardiz	ther that these or imprisonment te the validity o	statements were : it, or both, under \$	made with the I Section 1001 of	knowledge that water Title 18 of the U	rillful fals	se statement	s and the	;h
Name of Sole o	r First Invento	or:			A petition h	nas beer	n filed for this	s unsigned	
Given Rita Name			Middle Initial	Family Koester Name				Suffix e.g. Jr.	
Inventor's Signature	12:18	lis.	otu			Date	05/0	8120	0/
Residence: City	Ouesseldorf		State	Country	Germany	X	Citizenship	German	y
Post Office Address	Aachener S	strasse 55		***					
Post Office Address									
City 40223 Due	sseldorf	State	Zip	Country	Germany		Applicant Authority		_
χ Additional	inventors are b	eing named	on supplement	al sheet(s) at	tached hereto		10.7411		

Page 2

	<u> </u>
- 4	
V	
	مناليم

DECLARATION							ADDITIONAL INVENTOR(S) Supplemental Sheet						
Name of	Addition	al Joint Invent	or, if any	ſ:] Ар	etition	has been fil	led for	this unsig	ned in	ventor
Given Name	Ansga	ır		Mid Initi	ddle		Fa	amily ame	Behler		ļ	Suffix e.g. Jr.	
Inventor's Signature										Date	0510		2001
Residence: City	Bo	ottrop		St	tate		(Country	Germany		Citizenship		
Post Office A	Address	Siegfriedstras	;se 80									<u> </u>	
Post Office A	Address									, 180			
City 462	240 Bottro	p	State		Zip		7	Country	Germany		Applicant Authority		
Name of /	Addition	al Joint Invento	or, if any	j:			JAp	etition	has been fil			ned in	 √entor
Given Name	Karl-H	einz		Mid Iniția			Fa	amily ame	Schmid			Suffix e.g. Jr.	
Inventor's Signature	Ka	il Jkin	2/1	m	- ~	1	<u> </u>			Date		0812	200/
Residence: City	Me	ettmann			tate		c	Country	Germany		Citizenship		
Post Office A	Address	Stifterstrasse	10			<u></u>						т.	
Post Office A	Address									<u> </u>			
City 408	822 Mettm	ann	State		Zip		7	Country	Germany		Applicant Authority		
Name of	Additiona	al Joint Invento	or, if any	/: 	1		7 A pr	etition	has been file	1		ned in	ventor
Given Name	Michae	el		Mide / Jhitia			Fa	·	Neuss	<u> </u>		Suffix e.g. Jr.	
Inventor's Signature	d	Leil X	7 ()							Date	05/0		B0 /
Residence: City	Ko			St	tate	Country Germany		Germany		Citizenship Germany			
Post Office A	Address	Sesamstrasse							1 00000	-	•	<u>1</u>	C
Post Office A	Address												
City 509	997 Koeln		State	-	Zip		C	Country	Germany		Applicant Authority		
Name of A	Additiona	al Joint Invento	or, if any	/:			Ape	etition	has been file			ned inv	entor/
Given Name				Midd Initia			Fai	amily ame			\$	Suffix e.g. Jr.	
Inventor's Signature							-			Date		400000000000000000000000000000000000000	
Residence: City				Str	ate		С	Country	<u> </u>	ſ	L Citizenship		
Post Office A	ddress											A	
Post Office A	ddress												· · · · · · · · · · · · · · · · · · ·
City			State		Zip		С	Country	T		Applicant Authority		
Add	ditional in	ventors are bein	ng namer	d on si	uppler	menta	al shee	t(s) atta	ached hereto	· · · · · · · · · · · · · · · · · · ·	tunire,		